

A soldier in full tactical gear, including a helmet with the number '0518', sunglasses, and a vest, is holding an assault rifle. The soldier is positioned on the left side of the frame, looking towards the right. The background is a blurred field of tall grass or reeds. The overall tone is professional and military-oriented.

PRODUCT CATALOG

THE BEST SHOOTING GEAR

KWC®
SINCE 1978

BLOW BACK

MODEL 93 SERIES <small>FULL AUTO</small>	01~03
MODEL 76 SERIES <small>FULL AUTO</small>	04
MODEL 77 SERIES <small>FULL AUTO</small>	05~06
MODEL 07 SERIES <small>FULL AUTO</small>	07
MODEL 15 SERIES <small>FULL AUTO</small>	08
MODEL 18 SERIES <small>FULL AUTO</small>	09
MODEL 20 SERIES <small>FULL AUTO</small>	10
MODEL 23 SERIES <small>FULL AUTO</small>	11
MODEL 41 SERIES	12
MODEL 44 SERIES	13
MODEL 46 SERIES	14
MODEL 48 SERIES	15~16
MODEL 51 SERIES	17
MODEL 54 SERIES <small>FULL AUTO</small>	18
MODEL 74 SERIES	19
MODEL 88 SERIES	20
MODEL 89 SERIES	21

NON-BLOW BACK

MODEL 44 PELLET SERIES	22
MODEL 46 PELLET SERIES	23
PELLET REVOLVER SERIES	24
MODEL 76 PELLET SERIES	25
MODEL 40 SERIES	26
MODEL 42 SERIES	27
MODEL 43 SERIES	28
MODEL 44 SERIES	29
MODEL 55 SERIES	30
REVOLVER SERIES	31-32

NON-BLOW BACK & SPRING GUN

MODEL 46 SERIES	33
MODEL 47 SERIES	34
MODEL 48 SERIES	35

SPRING GUN

SPRING AIRGUN SERIES	36-37
SPRING AIRSOFT SERIES	17, 38-40
MODEL M4 SERIES	41

ACCESSORIES

ACCESSORIES	42-43
-------------------	-------

YOUR NEXT PRIMARY CHOICE

MODEL 93 SERIES

- *Lightweight for less sweat*
- *Delightful blowback kicking experience*
- *High efficiency dual CO2 magazine*
- *Adjustable Hop-up for both airsoft and airgun*
- *4-Way Selector: Safety, Semi-Auto, Burst-Mode and Full-Auto*

BLOWBACK

NON-BLOW BACK

NON-BLOW BACK &
SPRING GUN

SPRING GUN

ACCESSORIES

01



Adjusting tool for front sight and hop-up

Flip-up rear sight


4-Way selector :
Safety, Semi-Auto, Burst-Mode and Full-Auto

Adjustable front sight

M4 RIS stock



Variety of outer barrel: 10.5"/ 12.5"/ 14.5"



Adjustable hop-up system without disassemble

Changeable AR grip



Dual CO2 magazine with conceal wrench



Changeable trigger guard



M4 stock and Crane stock available

KWC M4 SERIES

MODEL 93 SERIES

M4 STOCK			
FULL AUTO 			
AIRGUN  4.5 STEEL BB  4.5 mm (0.177")			
KWC MODEL#FULL BLACK	AAKDMF930AZB	AAKDMF931AZB	AAKDMF932AZB
WEIGHT (g)	2230	2210	2180
LENGTH (mm)	782	726	676
OUTER BARREL (INCH)	14.5	12.5	10.5
INNER BARREL (mm)	250		
MATERIAL (MAJORITY)	NYLON+GF		
STANDARD VELOCITY : AVG (m/s) MAX 2.5J	110 ± 10		
CAPACITY (RDS)	25		
ROUNDS PER MAG (RDS)	125		
HOP UP	ADJUSTABLE		

CRANE STOCK			
FULL AUTO 			
AIRGUN  4.5 STEEL BB  4.5 mm (0.177")			
KWC MODEL#FULL BLACK	AAKDMF933AZB	AAKDMF934AZB	AAKDMF935AZB
WEIGHT (g)	2290	2270	2240
LENGTH (mm)	807	751	701
OUTER BARREL (INCH)	14.5	12.5	10.5
INNER BARREL (mm)	250		
MATERIAL (MAJORITY)	NYLON+GF		
STANDARD VELOCITY : AVG (m/s) MAX 2.5J	110 ± 10		
CAPACITY (RDS)	25		
ROUNDS PER MAG (RDS)	125		
HOP UP	ADJUSTABLE		

M4 STOCK			
FULL AUTO 			
AIRSOFT  6 AIRSOFT  6 mm (0.2g)			
KWC MODEL#FULL BLACK	AAKDCF930AZB	AAKDCF931AZB	AAKDCF932AZB
WEIGHT (g)	2250	230	2200
LENGTH (mm)	782	726	676
OUTER BARREL (INCH)	14.5	12.5	10.5
INNER BARREL (mm)	250		
MATERIAL (MAJORITY)	NYLON+GF		
STANDARD VELOCITY :	110 ± 10		
CAPACITY (RDS)	30		
ROUNDS PER MAG (RDS)	150		
HOP UP	ADJUSTABLE		

CRANE STOCK			
FULL AUTO 			
AIRSOFT  6 AIRSOFT  6 mm (0.2g)			
KWC MODEL#FULL BLACK	AAKDCF933AZB	AAKDCF934AZB	AAKDCF935AZB
WEIGHT (g)	2310	2290	2260
LENGTH (mm)	807	751	701
OUTER BARREL (INCH)	14.5	12.5	10.5
INNER BARREL (mm)	250		
MATERIAL (MAJORITY)	NYLON+GF		
STANDARD VELOCITY :	110 ± 10		
CAPACITY (RDS)	30		
ROUNDS PER MAG (RDS)	150		
HOP UP	ADJUSTABLE		

OPTIONAL VELOCITY : MAX 1J

MODEL 76 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Adjustable HOP UP system
- Real gun disassembly process
- Real Gun operation including ejection port and hold open
- Strong blowback recoil



AAKCMB760AZB SEMI AUTO ONLY				AIRGUN		4.5 STEEL BB 4.5 mm (0.177")		CO2
------------------------------------	--	--	--	--------	--	---------------------------------	--	-----

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	900 g	215 mm	1.7 Joule Max	100 m/s Max	FULL METAL	17 rds.	AAKCM760AZL

AAKCMF760AZB NEW FULL AUTO				AIRGUN		4.5 STEEL BB 4.5 mm (0.177")		CO2
--	--	--	--	--------	--	---------------------------------	--	-----

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	907 g	220 mm	1.7 Joule Max	99 m/s Max	FULL METAL	17 rds.	AAKCM762AZL

AAKCCB760AZB SEMI AUTO ONLY				AIRSOFT		6 AIRSOFT 6 mm (0.2g)		CO2
------------------------------------	--	--	--	---------	--	--------------------------	--	-----


HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	890 g	218 mm	1.4 Joule Max	118 m/s Max	FULL METAL	14 rds.	AAKCCM760AZL

AAKCCF760AZB NEW FULL AUTO				AIRSOFT		6 AIRSOFT 6 mm (0.2g)		CO2
--	--	--	--	---------	--	--------------------------	--	-----

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	890 g	220 mm	1.4 Joule Max	118 m/s Max	FULL METAL	14 rds.	AAKCCM762AZL



Grip Safety



Adjustable Hop up



BLOWBACK
NON-BLOW BACK
NON-BLOW BACK & SPRING GUN
SPRING GUN
ACCESSORIES

MODEL 77 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open
- Strong blowback recoil



**HIGH CAPACITY
MAGAZINE AVAILABLE**

4.5MM-AIRGUN 27 rds.
6MM-AIRSOFT 26 rds.



CUSTOMIZATION



Weathering Edition



Slide With Hair Line Edition



Multi Color Grip

AAKCMB770AZB

SEMI AUTO ONLY

AIRGUN**4.5** STEEL BB
4.5 mm (0.177")CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	925g	220 mm	1.6 Joule Max	97 m/s Max	FULL METAL	17 rds.	AAKMMM770AZL

AAKCMF770AZB**NEW**
FULL AUTO **AIRGUN****4.5** STEEL BB
4.5 mm (0.177")CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	925 g	220 mm	1.7 Joule Max	99 m/s Max	FULL METAL	17 rds.	AAKMMM772AZL

AAKCMF771EZB**NEW**
FULL AUTO 

STAINLESS (HAIRLINE)

AIRGUN**4.5** STEEL BB
4.5 mm (0.177")CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	933 g	220 mm	1.7 Joule Max	99 m/s Max	FULL METAL	17 rds.	AAKMMM772AZL

AAKCCB770AZB

SEMI AUTO ONLY

AIRSOFT**6** AIRSOFT
6 mm (0.2g)CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	900 g	218 mm	1.4 Joule Max	118 m/s Max	FULL METAL	14 rds.	AAKCCM770AZL

AAKCCF770AZB**NEW**
FULL AUTO **AIRSOFT****6** AIRSOFT
6 mm (0.2g)CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	907 g	220 mm	1.4 Joule Max	118 m/s Max	FULL METAL	14 rds.	AAKCCM772AZL

AAKCCF771EZB**NEW**
FULL AUTO 

STAINLESS (HAIRLINE)

AIRSOFT**6** AIRSOFT
6 mm (0.2g)CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	915 g	220 mm	1.4 Joule Max	118 m/s Max	FULL METAL	14 rds.	AAKCCM772AZL



GRAY



BLACK



STAINLESS (HAIRLINE)

AAKCMF070AZB

FULL AUTO 

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	2030 g	596 mm	2.1 Joule Max	110 m/s Max	HALF METAL	25 rds.	AAKMM071AZL

AAKCCF070AZB

FULL AUTO 

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	2000 g	596 mm	1.8 Joule Max	135 m/s Max	HALF METAL	36 rds.	AAKCCM071AZL




Adjustable Front Sight



Adjustable Rear Sight



Individual Magazine
Upper Rib



Adjustable Hop up

MODEL 07 SERIES



- Full function CO₂ blowback
- 1:1 scale
- Semi auto / Full auto
- Adjustable Hop up system
- Real gun operation including ejection port and hold open
- V2 Internal Overhaul: Featuring an all-new lightweight cylinder unit, the V2 delivers a snappier full-auto cycle and improved gas efficiency for higher shot counts.
- V2 Flawless Feeding: Our redesigned magazine upper unit ensures a smoother ammo transition, virtually eliminating feeding jams during high-intensity skirmishes.



MODEL 15 SERIES

- High grade CO2 blowback
- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Weaver rail compatible with standard flashlight and laser
- Semi auto / Full auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



AAKCMF150AZB FULL AUTO 				AIRGUN  4.5 STEEL BB 4.5 mm (0.177") 			
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	1100 g	215 mm	1.7 Joule Max	99 m/s Max	FULL METAL	19 rds.	AAKCM150AZL

AAKCCF150AZB FULL AUTO 				AIRSOFT  6 AIRSOFT 6 mm (0.2g) 			
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	1100 g	215 mm	1.6 Joule Max	126 m/s Max	FULL METAL	27 rds.	AAKCC150AZL



Blowback



Double Action and Single Action



Semi Auto



Full Auto



Rear Sight Adjustment



Semi / Full Auto Switch



Blowback



Wooden Pattern Grip



MODEL 18 SERIES


- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge.
- Semi auto / Full auto
- Real gun disassembly process
- Real gun operation including ejection port

AAKCMF180AZB						AIRGUN	
FULL AUTO						4.5 STEEL BB 4.5 mm (0.177")	
						CO2	
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	1410 g	300 mm	2.4 Joule Max	118 m/s Max	FULL METAL	19 rds.	AAKCM180AZL

AAKCCF180AZB						AIRSOFT	
FULL AUTO						6 AIRSOFT 6 mm (0.2g)	
						CO2	
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	1400 g	300 mm	1.7 Joule Max	133 m/s Max	FULL METAL	22 rds.	AAKCCM180AZL



Trigger Safety



Adjustable Hop up



Tactical Sight



MODEL 20 SERIES

- Premium blowback airgun
- Full function blowback
- 1:1 scale
- Weaver rail compatible with standard flashlight and laser
- Semi auto / full auto options on model 20
- Operated by 12g CO2 cartridge
- Adjustable Hop up system



AAKMB202AZB SEMI AUTO ONLY

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

AAKCMF202AZB FULL AUTO

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	755 g	205 mm	1.6 Joule Max	96 m/s Max	METAL SLIDE	18 rds.	AAKMM190AZL

AAKCCB202AZB SEMI AUTO ONLY

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

AAKCCF202AZB FULL AUTO

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	734 g	205 mm	1.3 Joule Max	114 m/s Max	METAL SLIDE	15 rds.	AAKCCM190AZL

AAKCMF230AZB

FULL AUTO 

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	1077 g	216 mm	1.5 Joule Max	95 m/s Max	FULL METAL	18 rds.	AAKMM230AZL

AAKCCF230AJB

FULL AUTO 

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	1069 g	216 mm	1.5 Joule Max	125 m/s Max	FULL METAL	21 rds.	AAKCCM230AZL



MODEL 23 SERIES


- High grade CO₂ blowback
- 1:1 scale
- Operated by 12g CO₂ cartridge
- Adjustable Hop up system
- Semi auto / Full auto
- Real gun disassembly process
- Ambidextrous safety and decocker
- Weaver rail compatible with standard flashlight, laser or scopes



Double Action & Single Action



Ambidextrous Safety & Decocker



Semi auto / Full auto



High Capacity Magazine Available

Extended Magazine
see P43

42 rds.

MAX
Capacity



MODEL 41 SERIES

- Realism toggle-lock recoil operation
- 1:1 SCALE
- Operated by 12g CO2 cartridge
- Real gun disassembly process
- Real gun operation including hold open



Realism Toggle-lock Recoil



Rear Sight Cover



1:1 SCALE



4" BARREL

AAKCMB410AZB AIRGUN **4.5** STEEL BB CO₂ 4.5 mm (0.177")

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	852 g	220 mm	1.6 Joule Max	95 m/s Max	FULL METAL	21 rds.	AAKCM410AZL

AAKCCB410AZB AIRSOFT **6** AIRSOFT CO₂ 6 mm (0.2g)

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	850 g	220 mm	1.3 Joule Max	112 m/s Max	FULL METAL	15 rds.	AAKCC410AZL

AAKMB440AZB

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	731 g	160 mm	1.5 Joule Max	92 m/s Max	FULL METAL	15 rds.	AAKMM440AZL

AAKCB440AZB

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	711 g	160 mm	1.3 Joule Max	113 m/s Max	FULL METAL	15 rds.	AAKCM440AZL




Rear Sight Cover



Blowback



Anti Skid Grip



Adjustable Hop up

MODEL 44 SERIES

- Compact pistol
- Full function blowback
- Classic collector's replica
- High grade CO₂ blowback
- Operated by 12g CO₂ cartridge
- Semi auto
- Adjustable Hop-up system
- Real gun operation including hold open
- Real gun disassembly process



MODEL 46 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Weaver rail compatible with standard flashlight or laser
- Functional trigger safety
- Adjustable Hop up system on both airgun and airsoft

AAKCCB460EVB
DUAL TONE



Adjustable sight



Single Action



Ambidextrous safety



Interchangeable grips

AAKCMB460AZB

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	815 g	185 mm	1.9 Joule Max	105 m/s Max	METAL SLIDE	16 rds.	AAKCCM460AZL

AAKCCB460AZB / AAKCCB460EVB

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	797 g	185 mm	1.8 Joule Max	134 m/s Max	METAL SLIDE	16 rds.	AAKCCM460AZL

MODEL 48 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Adjustable Hop up system on both airgun and airsoft
- Real gun disassembly process
- Real gun operation including ejection port and hold open
- Interchangeable grips with three different sizes



▲ Interchangeable grips in different sizes



Scalloped Slide Serrations



Adjustable Hop up



Single Action Only



Tactical Rail

AAKCMB480AZB

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	724 g	194 mm	1.6 Joule Max	95 m/s Max	METAL SLIDE	15 rds.	AAKMM480AZL

AAKCCB480AZB

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	710 g	194 mm	1.4 Joule Max	118 m/s Max	METAL SLIDE	15 rds.	AAKCCM480AZL



▲ Interchangeable grips in different sizes



Ported slide



Single Action Only



Hidden manual safety



Blowback

AAKCMB483AZB

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	763 g	214 mm	1.8 Joule Max	102 m/s Max	HALF METAL	15 rds.	AAKMM480AZL

AAKCCB483AZB

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	757 g	214 mm	1.6 Joule Max	126 m/s Max	HALF METAL	15 rds.	AAKCCM480AZL

MODEL 51 SERIES

- High grade CO2 blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open
- Standard version with semi auto only. Full auto option available for customization



AAKCCB510BZB
Silver Version Available

AAKCMB510AZB							AIRGUN	4.5 STEEL BB 4.5 mm (0.177")	CO ₂
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
ADJUSTABLE	1121 g	269 mm	2.1 Joule Max	110 m/s Max	METAL SLIDE	15 rds.	AAKMM510AZL		

AAKCCB510AZB / AAKCCB510BZB							AIRSOFT	6 AIRSOFT 6 mm (0.2g)	CO ₂
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
ADJUSTABLE	1104 g	268 mm	1.4 Joule Max	120 m/s Max	METAL SLIDE	21 rds.	AAKCM510AZL		

AAKACZ510AZB							SPRING GUN	6 AIRSOFT 6 mm (0.2g)	SPRING
HOP UP	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE			
FIXED	274 mm	0.5 Joule Max	79 m/s Max	HEAVY WEIGHT	26 rds.	AAKACS510AZN			



Semi Auto

MODEL 54 SERIES

- High grade CO2 blowback
- 1:1 scale
- Semi auto / Full auto
- Operated by 12g CO2 cartridge
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



Integral muzzle break



Full auto option available

AAKCMF541AZB FULL AUTO AIRGUN **4.5 STEEL BB** 4.5 mm (0.177")

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	1125 g	269 mm	2.3 Joule Max	115 m/s Max	METAL SLIDE	15 rds.	AAKCM510AZL

AAKCCF541AZB FULL AUTO AIRSOFT **6 AIRSOFT** 6 mm (0.2g)

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	1094 g	269 mm	1.4 Joule Max	118 m/s Max	METAL SLIDE	21 rds.	AAKCCM510AZL

BLOWBACK

NON-BLOW BACK

NON-BLOW BACK & SPRING GUN

SPRING GUN

ACCESSORIES

MODEL 74 SERIES


- High grade CO2 blowback
- CO2 blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



Blowback



Adjustable Rear Sight



Ambidextrous Safety

AAKMB740AZB

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	1275 g	225 mm	2.0 Joule Max	108 m/s Max	FULL METAL	18 rds.	AAKMM740AZL

AAKCB740AZB

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	1220 g	225 mm	1.8 Joule Max	135 m/s Max	FULL METAL	24 rds.	AAKCM740AZL


MODEL 88 SERIES

- IPSC Pistol
- High grade CO2 blowback
- Full function blowback
- 1:1 Scale
- Operated by 12g CO2 cartridge
- Mount rail compatible with scopes and red dots
- Semi Auto
- Adjustable HOP UP system
- Real gun disassembly process
- Real Gun operation including ejection port and hold open



AAKCMB880AZB							AIRGUN	4.5 STEEL BB 4.5 mm (0.177")	CO2
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
FIXED	1200 g	220 mm	2.2 Joule Max	109 m/s Max	FULL METAL	18 rds.	AAKCMM780AZL		


AAKCCB880AZB							AIRSOFT	6 AIRSOFT 6 mm (0.2g)	CO2
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE		
ADJUSTABLE	1200 g	220 mm	1.7 Joule Max	130 m/s Max	FULL METAL	15 rds.	AAKCCM780AZL		



Rear Sight Adjustment



Ambidextrous Manual Safety



Adjustable Hop up

MODEL 89 SERIES

- IPSC Pistol
- High grade CO2 blowback
- Full function blowback
- 1:1 Scale
- Operated by 12g CO2 cartridge
- Mount rail compatible with scopes and red dots
- Semi Auto
- Adjustable HOP UP system
- Real gun disassembly process
- Real Gun operation including ejection port and hold open



Rail Can Add The Laser Scope



Slide Loading Bar



Muzzle brake



AAKCMB890AZB

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	1425 g	280 mm	2 Joule Max	110 m/s Max	FULL METAL	18 rds.	AAKCCM780AZL

AAKCCB890AZB

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
ADJUSTABLE	1425 g	279 mm	1.7 Joule Max	130 m/s Max	FULL METAL	15 rds.	AAKCCM780AZL

MODEL 44 PELLET SERIES

- Compact pistol
- Classic collector's replica
- Operated by 12g CO2 cartridge
- Novel pellet rotary clip design
- Equipped with high precision rifled barrel
- Spare magazine part # AAKCPS440
- Spare rotary clip part # AAKCPW440



AIRGUN PELLETS



6X2 Rotary Clip



Rear Sight Cover



Anti Skid Grip

AAKCPD441AZB

AIRGUN

PELLETS AIRGUN
4.5 mm (0.177")

CO2

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	754 g	162 mm	2.6 Joule Max	105 m/s Max	FULL METAL	6X2 Pellet	AAKCPW440AZL



AIRGUN PELLETS



MODEL 46 PELLET SERIES

- Operated by 12g CO2 cartridge
- Semi auto only
- Novel pellet rotary clip design
- Tactical design with railed full metal slide
- Equipped with high precision rifled barrel
- Spare magazine part # AAKCPS463
- Spare rotary clip part # AAKCPW463



8X2 Rotary Clip



Fiber Optic Sights



Tactical Railed Slide



Rubberized Grip

AAKCPD463AZB

AIRGUN




PELLETS AIRGUN
4.5 mm (0.177")

CO2


HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	799 g	182 mm	2.8 Joule Max	110 m/s Max	METAL SLIDE	8X2 Pellet	AAKCPW463AZL

PELLET REVOLVER SERIES

- Classic revolver
- 1:1 scale
- Rotary pellet clip



Vertical Adjustment



Horizontal Adjustment



Double Action & Single Action Trigger



Pellet Clip

AAKCPD661AZB BARREL LENGTH 2.5 INCH					AIRGUN	PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	870 g	195 mm	2.5 Joule Max	100 m/s Max	FULL METAL	8 Pellet	AAKCPW680AZN

AAKCPD671AZB BARREL LENGTH 4 INCH					AIRGUN	PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	955 g	230 mm	2.8 Joule Max	108 m/s Max	FULL METAL	8 Pellet	AAKCPW680AZN

AAKCPD681AZB BARREL LENGTH 6 INCH					AIRGUN	PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	1085 g	285 mm	3.0 Joule Max	110 m/s Max	FULL METAL	8 Pellet	AAKCPW680AZN

MODEL 76 PELLET SERIES

- 1:1 SCALE
- Operated by 12g CO2
- SEMI AUTO
- Novel pellet rotary clip design
- Equipped with high precision rifled barrel
- Spare rotary clip part # AAKCPW760AZN



Anti Skid Grip



6X2 Rotary Clip



AIRGUN PELLETS

AAKCPD761AZB					AIRGUN	PELLETS AIRGUN 4.5 mm (0.177")	CO ₂
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	818 g	220 mm	2.8 Joule Max	105 m/s Max	METAL SLIDE	6X2 Pellet	AAKCPW760AZL

MODEL 40 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Interchangeable parts between non-blow back 40's series and 42's series. Works great for customization
- Efficient CO2 shooting system with more than 200 BB shots per CO2 cartridge
- Full Metal grip on 42 series



AAKCMD401AZB								AIRGUN	4.5 STEEL BB 4.5 mm (0.177")	CO2
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE			
FIXED	840 g	220 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	21 rds.	AAKCMS400AZL			

AAKCCD401AZB								AIRSOFT	6 AIRSOFT 6 mm (0.2g)	CO2
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE			
FIXED	781 g	220 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	15 rds.	AAKCCS400AZL			

AAKCMD421AZB

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	1060 g	223 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	22 rds.	AAKCMS420AZL

AAKCCD421AZB

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	1050 g	220 mm	2.3 Joule Max	152 m/s Max	METAL SLIDE	14 rds.	AAKCCS420AZL



Tactical Rail

MODEL 42 SERIES

- 1:1 scale
- Operated by 12g CO₂ cartridge
- Semi auto
- Interchangeable parts between non-blow back 40's series and 42's series. Works great for customization
- Efficient CO₂ shooting system with more than 200 BB shots per CO₂ cartridge
- Full Metal grip on 42 series



MODEL 43 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system with more than 200 BB shots per CO2 cartridge
- Semi auto
- Metal slide and hammer case for realistic weight



AAKCMD431AZB

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	910 g	205 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	22 rds.	AAKCMS430AZL

AAKCCD431AZB

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	845 g	205 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	15 rds.	AAKCCS430AZL

MODEL 44 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto only
- Compact of pistol
- Super stable and long life



AAKCMD440AZB								AIRGUN	4.5 STEEL BB 4.5 mm (0.177")	CO2
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE			
FIXED	390 g	160 mm	2.9 Joule Max	130 m/s Max	PLASTIC FRAME	18 rds.	AAKCMS440AZL			

AAKCMD441AZB								AIRGUN	4.5 STEEL BB 4.5 mm (0.177")	CO2
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE			
FIXED	800 g	160 mm	2.9 Joule Max	130 m/s Max	FULL METAL	18 rds.	AAKCMS440AZL			

AAKCCD441AZB								AIRSOFT	6 AIRSOFT 6 mm (0.2g)	CO2
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE			
FIXED	775 g	160 mm	1.9 Joule Max	138 m/s Max	FULL METAL	13 rds.	AAKCCS440AZL			





Fixed Aperture Sight



High Capacity Magazine



Metal Telescopic Stock



Post Front Sight

AAKCMD550AZB

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	531 g	255 mm	2.9 Joule Max	130 m/s Max	PLASTIC WITH METAL STOCK	39 rds.	AAKCMS550AZL

AAKCCD550AZB

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	531 g	255 mm	2.3 Joule Max	152 m/s Max	PLASTIC WITH METAL STOCK	26 rds.	AAKCCS550AZL

MODEL 55 SERIES

- 1:1 scale
- Operated by 12g CO₂ cartridge
- Super stable and long life.
- Telescopic stock
- High capacity magazine
- Semi auto only





BARREL LENGTH 2.5 INCH


AAKCMD661BZB
Chrome Plating Finish

REVOLVER SERIES


- Classic revolver
- Double action & singl action trigger
- Full metal
- Shell loaded revolver




Vertical Adjustment



Horizontal Adjustment



Manual Safely



Speedloader see P43

Speedloader

AAKCMD661AZB / AAKCMD661BZB

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	958 g	200 mm	1.3 Joule Max	86 m/s Max	FULL METAL	6 rds.	AAKCMW680AZL

AAKCCD661AZB

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	950 g	200 mm	1.9 Joule Max	138 m/s Max	FULL METAL	6 rds.	AAKCCW680AZL

AAKCMD671AZB

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	1048 g	235 mm	1.9 Joule Max	109 m/s Max	FULL METAL	6 rds.	AAKCMW680AZL



BARREL LENGTH 4 INCH

AAKCCD671AZB

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	983 g	235 mm	2.1 Joule Max	138 m/s Max	FULL METAL	6 rds.	AAKCCW680AZL



AAKCMD681AZB

AIRGUN

4.5 STEEL BB
4.5 mm (0.177")

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	1100 g	285 mm	2.9 Joule Max	130 m/s Max	FULL METAL	6 rds.	AAKCMW680AZL

BARREL LENGTH 6 INCH

AAKCCD681AZB

AIRSOFT

6 AIRSOFT
6 mm (0.2g)

CO₂

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	1100 g	285 mm	2.7 Joule Max	163 m/s Max	FULL METAL	6 rds.	AAKCCW680AZL

CUSTOMIZATION



Chrome Plating Finish

BLOWBACK

NON-BLOW BACK

NON-BLOW BACK &
SPRING GUN

SPRING GUN

ACCESSORIES

MODEL 46 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system with more than 200 BBS shots per CO2 cartridge
- Weaver rail compatible with standard flashlight or laser
- Rubber grip
- Series of products with several versions of different materials and power sources, see chart below for more detail



AAKCMD460AZB								AIRGUN	4.5 STEEL BB 4.5 mm (0.177")	CO2
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE			
FIXED	565 g	180 mm	2.9 Joule Max	130 m/s Max	PLASTIC SLIDE	21 rds.	AAKCMS460AZL			

AAKCMD461AZB								AIRGUN	4.5 STEEL BB 4.5 mm (0.177")	CO2
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE			
FIXED	725 g	180 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	21 rds.	AAKCMS460AZL			

AAKCCD460AZB								AIRSOFT	6 AIRSOFT 6 mm (0.2g)	CO2
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE			
FIXED	520 g	180 mm	1.9 Joule Max	138 m/s Max	PLASTIC SLIDE	15 rds.	AAKCCS460AZL			

AAKCCD461AZB								AIRSOFT	6 AIRSOFT 6 mm (0.2g)	CO2
HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE			
FIXED	648 g	180 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	15 rds.	AAKCCS460AZL			

AAKACZ460AZB								SPRING GUN	6 AIRSOFT 6 mm (0.2g)	MMMMM SPRING
HOP UP	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE				
FIXED	180 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	24 rds.	AAKACS460AZN				

BLOWBACK
NON-BLOW BACK
NON-BLOW BACK & SPRING GUN
SPRING GUN
ACCESSORIES

MODEL 47 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system with more than 250 BBS shots per CO2 cartridge
- Weaver rail compatible with standard flashlight or laser
- Series of products with several versions of different materials and power sources, see chart below for more detail



AAKCMD470AZB AIRGUN 4.5 STEEL BB 4.5 mm (0.177") CO2

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	590 g	190 mm	2.9 Joule Max	130 m/s Max	PLASTIC SLIDE	21 rds.	AAKCMS470AZL

AAKCMD471AZB AIRGUN 4.5 STEEL BB 4.5 mm (0.177") CO2

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	760 g	190 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	21 rds.	AAKCMS470AZL

AAKCCD470AZB AIRSOFT 6 AIRSOFT 6 mm (0.2g) CO2

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	510 g	190 mm	1.9 Joule Max	138 m/s Max	PLASTIC SLIDE	14 rds.	AAKCCS470AZL

AAKCCD471AZB AIRSOFT 6 AIRSOFT 6 mm (0.2g) CO2

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	685 g	190 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	14 rds.	AAKCCS470AZL

AAKACZ470AZB SPRING GUN 6 AIRSOFT 6 mm (0.2g) M/M/M/M/M SPRING

HOP UP	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	190 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	24 rds.	AAKACS470AZN

MODEL 48 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system with more than 200 BBS shots per CO2 cartridge
- Weaver rail compatible with standard flashlight or laser
- Series of products with several versions of different materials and power sources, see chart below for more detail



AAKCMD480AZB AIRGUN **4.5** STEEL BB 4.5 mm (0.177") CO2

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	515 g	193 mm	2.9 Joule Max	130 m/s Max	PLASTIC SLIDE	21 rds.	AAKCMS480AZL

AAKCMD481AZB AIRGUN **4.5** STEEL BB 4.5 mm (0.177") CO2

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	710 g	193 mm	2.9 Joule Max	130 m/s Max	METAL SLIDE	21 rds.	AAKCMS480AZL

AAKCCD480AZB AIRSOFT **6** AIRSOFT 6 mm (0.2g) CO2

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	480 g	190 mm	2.2 Joule Max	148 m/s Max	PLASTIC SLIDE	15 rds.	AAKCCS480AZL

AAKCCD481AZB AIRSOFT **6** AIRSOFT 6 mm (0.2g) CO2

HOP UP	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	700 g	190 mm	2.2 Joule Max	148 m/s Max	METAL SLIDE	15 rds.	AAKCCS480AZL

AAKACZ480AZB SPRING GUN **6** AIRSOFT 6 mm (0.2g) M/V/V/V/V/V SPRING

HOP UP	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	190 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	24 rds.	AAKACS480AZN



Also available in metal slide

AAKAMZ030AZB

SPRING GUN **4.5** STEEL BB **MMMM**
4.5 mm (0.177") SPRING

HOP UP	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	196 mm	0.5 Joule Max	57 m/s Max	FULL PLASTIC	16 rds.	AAKAMS030AZN

SPRING AIRGUN SERIES

- Spring powered airgun
- Easy operation with durable long life
- High reservoir magazine can load up to 70 BBs per magazine
- Each loading is 16 rounds



.177 Airgun



AAKAMZ110AZB

SPRING GUN **4.5** STEEL BB **MMMM**
4.5 mm (0.177") SPRING

HOP UP	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
FIXED	219 mm	0.6 Joule Max	63 m/s Max	FULL PLASTIC	16 rds.	AAKAMS110AZN

SPRING AIRGUN SERIES

- 1:1 scale
- Weaver rail compatible with standard flashlight or laser
- Rubber grip
- 205 rds BB reservoir with 15 rds per load



AAKAMZ460AZB		SPRING GUN 4.5 STEEL BB 4.5 mm (0.177") M/M/M/M SPRING				
RECOIL	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON HOP-UP	183 mm	0.5 Joule Max	55 m/s Max	PLASTIC SLIDE	15 rds.	AAKAMS460AZN

AAKAMZ461AZB		SPRING GUN 4.5 STEEL BB 4.5 mm (0.177") M/M/M/M SPRING				
RECOIL	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON HOP-UP	183 mm	0.5 Joule Max	55 m/s Max	METAL SLIDE	15 rds.	AAKAMS460AZN



Rubberized Grip



.177 Airgun



SPRING AIRSOFT SERIES

- Easy operation with durable long life
- Great starter gun for beginners to the world of airsoft



AAKACZ030BZB
AAKACZ032BZB
 Silver Version Available

AAKACZ030AZB / AAKACZ030BZB

SPRING GUN

6 AIRSOFT
 6 mm (0.2g) M/M/M/M/M
 SPRING

RECOIL	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	195 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS032AZN

AAKACZ032AZB / AAKACZ032BZB

SPRING GUN

6 AIRSOFT
 6 mm (0.2g) M/M/M/M/M
 SPRING

RECOIL	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-HOP UP	195 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS032AZN



AAKACZ112BZB
 Silver Version Available

AAKACZ112AZB / AAKACZ112BZB

SPRING GUN

6 AIRSOFT
 6 mm (0.2g) M/M/M/M/M
 SPRING

RECOIL	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-HOP UP	220 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110AZN



AKACZ130BZB
AAKACZ132BZB
 Silver Version Available

AAKACZ130AZB / AAKACZ130BZB

SPRING GUN

6 AIRSOFT
 6 mm (0.2g)

MMMMM
 SPRING

RECOIL	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	370 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS130AZN

AAKACZ132AZB / AAKACZ132BZB

SPRING GUN

6 AIRSOFT
 6 mm (0.2g)

MMMMM
 SPRING

RECOIL	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-HOP UP	350 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS130AZN

AAKACZ142AZB / AAKACZ142BZB

RECOIL	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-HOP UP	223 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS142AZN



AAKACZ142BZB
 Silver Version Available

BLOWBACK
 NON-BLOW BACK
 NON-BLOW BACK & SPRING GUN
 SPRING GUN
 ACCESSORIES

AAKACZ162AZB / AAKACZ162BZB

SPRING GUN **6** AIRSOFT 6 mm (0.2g) M W W W W SPRING

RECOIL	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-HOP UP	330 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110AZN



AAKACZ162BZB
Silver Version Available




AAKACZ260AZB

SPRING GUN **6** AIRSOFT 6 mm (0.2g) M W W W W SPRING

RECOIL	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	225 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS260AZN

MODEL M4 SERIES


- Dual spring loading system
- R.I.S hand guard
- High density composite material for extended durability
- Adjustable stock to fit all arm lengths
- High capacity 350 rounds reservoir in magazine



Adjustable Hop-up



Fast Reloading



Fast Reloading



AAKACZ360AZC

SPRING GUN 6 AIRSOFT 6 mm (0.2g) M W W W M SPRING

RECOIL	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	795 mm	0.7 Joule Max	82 m/s Max	FULL PLASTIC	18 rds.	AAKACS360AZT



AAKACZ370AZC

SPRING GUN 6 AIRSOFT 6 mm (0.2g) M W W W M SPRING

RECOIL	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	798 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	18 rds.	AAKACS360AZT



AAKACZ380AZC

SPRING GUN 6 AIRSOFT 6 mm (0.2g) M W W W M SPRING

RECOIL	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	684 mm	0.7 Joule Max	84 m/s Max	FULL PLASTIC	18 rds.	AAKACS360AZT



AAKZZW006AZX

0.12g BB, 2000 Counts BOTTLE



AAKZZW006BZX

0.20g BB, 2000 Counts BOTTLE



AAKZZW046AZE

Gel Target



AAKZZW041AZE

Trap Target



AAKZZW033AZX

0.12g BB
750 Counts GRENADE shape



AAKZZW033BZX

0.20g BB
750 Counts GRENADE shape



AAKZZW080AZX

4.5 mm Steel BB
2000 counts / Grenade



AAKZZW047AZC

3-Bull's eye Multi-Function Auto Trap Target



AAKCPW660AZN
Pellet Revolver Clip



AAKZZW660AZL
6 mm / 4.5 mm Speedloader



AAKMM771AZL
4.5 mm **27** Steel rds.

AAKCCM771AZL
6 mm **26** Plastic rds.



AAKCPW460AZN 4.5 mm
8X2 Pellet



AAKCPW440AZN 4.5 mm
6X2 Pellet

Pellet Rotary Clip
Assembly for Pellet gun

AAKCPW760AZN 4.5 mm
6X2 Pellet



AAKZZW035AZT
Universal Rubber Grip



AAKCCM231AZL
6 mm **41+1** Plastic rds.